

430

CITY OF KENMORE, WA
SPECIAL INSPECTIONS AGREEMENT



18120 68th Ave NE, Kenmore, WA 98028

425-398-8900

www.kenmorewa.gov

Staff use Area
Permit Number:
Project Number:
Property Address:
Date Stamp

BEFORE A PERMIT CAN BE ISSUED, two (2) copies of this agreement, including the Statement of Special Inspection and the Special Inspection and Testing Schedule with the required acknowledgments shall be completed by the owner, or registered design professional in responsible charge acting as the owner's agent. A pre-construction conference with the parties involved may be required to review the special inspection requirements and procedures.

APPROVAL OF SPECIAL INSPECTORS: Special inspectors may have no financial interest in projects for which they provide special inspection. Special inspectors shall be approved by the building department prior to performing any duties. Special inspectors shall submit their qualifications and are subject to personal interviews for prequalification. Special inspectors shall display approved identification, as stipulated by the building official, when performing the function of special inspector.

Special inspection and testing shall meet the minimum requirements of Section 1704 through 1707 of the International Building Code. The following conditions are also applicable:

- 1. Duties and Responsibilities of the Special Inspector.
1. General requirements. Special inspectors shall review approved plans and specifications for special inspection requirements.
2. Signify presence at job-site. Special inspectors shall notify contractor personnel of their presence and responsibilities at the job-site.
3. Observe assigned work. Special inspectors shall inspect all work according to the Statement of Special Inspections for which they are responsible for conformance with the building department approved (stamped) plans and specifications and applicable provisions of IBC Section 1704.
4. Report nonconforming items (discrepancies). Special inspectors shall bring all nonconforming items to the immediate attention of the contractor.
5. Provide timely progress reports. The special inspector shall complete written inspections reports for each inspection visit and provide the reports on a timely basis as determined by the building official.
6. Submit final report. Special inspectors or inspection agencies shall submit a final signed report to the building department stating that all items requiring special inspection and testing by the Statement of Special

	<p>Inspection were fulfilled and reported and, to the best of their knowledge in conformance with the approved plans and specifications (Section 1704.1.2). Some jurisdictions also require the design professional in responsible charge to sign the report before it is submitted to the building official. Items not in conformance, unresolved items or any discrepancies in inspection coverage (i.e., missed inspections, periodic inspection when continuous was required, etc.) should be specifically itemized in this report.</p>
<p>2.</p>	<p>Owner Responsibilities. The project owner, the engineer or architect of record, or an agent of the owner is responsible for funding special inspection services. Measures should be taken to ensure that the scope of work and duties of the special inspector as outlined in the Statement of Special Inspections are not compromised.</p>
<p>3.</p>	<p>Registered Design Professional in Responsible Charge.</p> <p>The design professional in responsible charge should be a consenting party written acknowledgment of special inspection and testing agreements. The design professional in responsible charge has many duties and responsibilities related to special inspection, including the following:</p> <p>The Statement of Special Inspections has been submitted with the permit application. The content of the statement contains the following information.</p> <ol style="list-style-type: none"> 1. Materials, systems, components and work required to have special inspection. Duties of the building official and the registered design professional responsible for each part of the work are to be stated. 2. Type and extent of each special inspection and the name of individual or firms performing the inspections. 3. Type and extent of each test. 4. Special inspection of required seismic resistance systems and components. 5. Special inspection of required wind resistance systems and components. 6. Provide name and contact information of special inspector or special inspection agency. Subject to the approval of the building official, special inspectors holding current certification by ICC in the discipline in which they will be inspecting can be considered qualified within the appropriate scope of accreditation for the disciplines to be inspected can be considered qualified. The choice of special inspectors or special inspection agencies should be included in the following considerations: <ul style="list-style-type: none"> • Project size and complexity – experience with similar projects. • Inspection staffing – sufficient qualified inspectors. • Site location – proximity of inspection and testing facilities. • Off-site inspection – capabilities for inspection at remote locations. 7. Completion of a special inspection and testing agreement and schedule as shown in the Appendix A examples is a simple method of fulfilling the requirement for preparation of a special inspection program that can be easily reviewed by the building official. 8. Respond to field discrepancies. The engineer or architect of record shall respond to special inspect reports of uncorrected non-complying (discrepancies) items and shall approve remedial measures. 9. Review shop drawings and submit revisions to approved plans. The design professional in responsible charge shall acknowledge and approve shop drawings that may detail structural information. The design professional shall submit to the building official and the special inspector/inspection agency written approval of any verbally approved deviations from the approved plans and shall submit revised plans for building official approval (Section 106.3.4).
<p>4.</p>	<p>Contractor Responsibilities</p> <p>Submit a written statement of responsibility to the building official and the owner prior to the commencement of the work on the system or component. The contractor’s statement of responsibility is to contain the following:</p> <ol style="list-style-type: none"> 1. Acknowledge of awareness of the special requirements contained in the statement of special inspections; 2. Acknowledge that control will be exercised to obtain conformance with the construction documents approved by the building official; 3. Procedures for exercising control within the contractor’s organization, the method and frequency of reporting and the distribution of the reports; and 4. Identification and qualifications of the person(s) exercising such control and their position(s) in the organization. <p>Suggested job-site protocol for special inspections:</p> <ol style="list-style-type: none"> 1. Notify the special inspector. Adequate notice shall be provided so that the special inspector has time to become familiar with the project. 2. Provide access to approved plans. The contractor is responsible for providing the special inspector with access to approved plans. 3. Retrain special inspection records. When required by the building official, the contractor is responsible for retaining at the job-site all special inspection records submitted by the special inspector and providing these records for review by the building department’s inspector upon request.

5.	<p>Building Department Responsibilities</p> <ol style="list-style-type: none"> 1. Review submittal documents for compliance with special inspection requirements as outlined in the Statement of Inspection. The building official is charged with the legal authority to review the plans, specifications, special program and other submittal documents for compliance with code requirements. 2. Approve fabricator(s) used building components installed on-site. 3. Approve special inspection program. The building official is responsible for approving the special inspection program submitted by the design professional in responsible charge (Section 106.1) and may require a preconstruction conference to review the program with all applicable members of the construction team. 4. Monitor special inspection activities. The building official should monitor the special inspection activities at the jobsite to assure that qualified special inspectors are performing their duties when work requiring special inspection is in progress. 5. Issuance of stop work orders. The building official is recognized as having the authority to stop work at the job-site. 6. Approval to proceed. There are certain points of completion where work shall not proceed until approval by the building official has been given. 7. Review inspection reports. The building official receives and reviews special inspection progress reports and final reports for conformance with the approved plans, specification and workmanship provisions of the code. 8. Perform final inspection. The building official should not perform the final inspection and approval for a project until the final special inspection report has been reviewed and approved.
-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.	<p>ACKNOWLEDGEMENTS</p> <p>I have read and agree to comply with the terms and conditions of this agreement.</p> <p>Owner: _____ By: _____ Date: _____</p> <p>Registered Design Professional in Responsible Charge: _____ By: _____ Date: _____</p> <p>Contractor: _____ By: _____ Date: _____</p> <p>Special Inspector/Special Inspection Agency*: _____ By: _____ Date: _____</p> <p>Others as required by Building Official: _____ By: _____ Date: _____</p> <p>ACCEPTED FOR THE BUILDING DEPARTMENT</p> <p>By: _____ Date: _____</p> <p>*This signature may be that of the Responsible Professional Engineer within the special inspection agency.</p>
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7.	<p>STATEMENT OF SPECIAL INSPECTIONS SCHEDULE</p> <p>This schedule should match the Statement of Special Inspections. Where the option between continuous and periodic inspections is possible, circle the option required.</p>		
	Continuous during task	Periodic during task	
Steel Construction – Verification / Inspection			
See Table 1704.3 – Required Verification and Inspection of Steel Construction			
1. High-strength bolts, nuts and washers			
a. <input type="checkbox"/> Markings	---		X
b. <input type="checkbox"/> Manufacture’s certificate of compliance	---		X
2. High-strength bolting			
a. <input type="checkbox"/> Bearing-type connections	---		X
b. <input type="checkbox"/> Slip-critical connections	X		X

	3. Structural steel a. <input type="checkbox"/> Identification Markings b. <input type="checkbox"/> Manufacturer's certified mill reports	---	---
	4. Weld filler a. <input type="checkbox"/> Identification Markings b. <input type="checkbox"/> Manufacturer's certificate of compliance	---	---
	5. Welding— a. Structural steel i. <input type="checkbox"/> Complete and partial penetration groove welds ii. <input type="checkbox"/> Multi-pass fillet welds iii. <input type="checkbox"/> Single-pass fillet welds > 5/16" iv. <input type="checkbox"/> Single-pass fillet welds ≤ 5/16" v. <input type="checkbox"/> Floor and roof deck welds	X X X --- ---	--- --- --- X X
	6. Reinforcing Steel a. <input type="checkbox"/> Weldability of reinforcing steel other than ASTM A706 b. <input type="checkbox"/> Reinforcing steel – resisting flexural and axial forces in intermediate and special moment frames, and boundary elements of special reinforced concrete shear walls and shear reinforcement. c. <input type="checkbox"/> Shear reinforcement d. <input type="checkbox"/> Other reinforcing steel	--- X X ---	X --- --- ---
	7. Steel Frame Joint Details a. <input type="checkbox"/> Details – bracing, stiffening, etc. b. <input type="checkbox"/> Member locations c. <input type="checkbox"/> Application of joint details at each connection.	---	X --- --- ---
	8. Other		
8.	CONCRETE CONSTRUCTION – VERIFICATION / INSPECTION See Table 1704.4 – Required Verification and Inspection of Concrete Construction	Continuous during task	Periodic during task
	1. <input type="checkbox"/> Reinforcing steel, including prestressing tendons, and placement	---	X
	2. <input type="checkbox"/> Reinforcing steel welding	---	---
	3. <input type="checkbox"/> Bolts installed in concrete	X	---
	4. <input type="checkbox"/> Required mix design	---	X
	5. <input type="checkbox"/> Fresh concrete sampling / testing	X	---
	6. <input type="checkbox"/> Placement of concrete and shotcrete	X	---
	7. <input type="checkbox"/> Curing – temperature and techniques	---	X
	8. Prestressed concrete a. <input type="checkbox"/> Application of prestressing forces b. <input type="checkbox"/> Grouting of bonded tendons in seismic-force-resisting system.	X X	--- ---
	9. <input type="checkbox"/> Erection of precast members	---	X
	10. <input type="checkbox"/> Verification of in-situ concrete strengths	---	X
	11. <input type="checkbox"/> Formwork shape, location and dimensions	---	X
	12. Other		
9.	MASONRY LEVEL 1 – VERIFICATION / INSPECTION See Table 1704.5.1 – Level 1 Special Inspection	Continuous during task	Periodic during task
	1. As construction begins ensure compliance of: a. <input type="checkbox"/> Proportions of site-prepared mortar b. <input type="checkbox"/> Construction of mortar joints c. <input type="checkbox"/> Location of reinforcement, connectors, d. <input type="checkbox"/> Prestressing technique e. <input type="checkbox"/> Grade and size of prestressing tendons and anchorages	--- --- --- --- ---	X X X X X

	2. Inspection shall verify: <ul style="list-style-type: none"> a. <input type="checkbox"/> Size and location of structural elements b. <input type="checkbox"/> Type, size and location of anchors, including other details of anchorage of masonry to structural members, frames or other construction. c. <input type="checkbox"/> Specified size, grade and type of reinforcement d. <input type="checkbox"/> Welding for reinforcing bars e. <input type="checkbox"/> Protection of masonry during cold weather (temperatures below 40 degrees F) or hot weather (temperature above 90 degrees F) f. <input type="checkbox"/> Application and measurement of prestressing force 	---	X
		---	X
		---	X
		X	---
		---	X
		---	X
	3. Prior to grouting, verify following to ensure compliance: <ul style="list-style-type: none"> a. <input type="checkbox"/> Grout space is clean b. <input type="checkbox"/> Placement of reinforcement and connectors and prestressing tendons and anchorages c. <input type="checkbox"/> Proportions of site-prepared grout and prestressing grout for bonded tendons d. <input type="checkbox"/> Construction of mortar joints 	---	X
		---	X
		---	X
	4. Grout placement verified to ensure compliance with code and construction document provisions <ul style="list-style-type: none"> a. <input type="checkbox"/> Grouting of prestressing bonded tendons 	X	---
		X	---
	5. Preparation of any required grout specimens, mortar specimens and/or prisms shall be observed.	X	---
	6. Compliance with required inspection provisions of the construction documents and the approved submittals shall be verified.	---	X
	7. Other		
10.	MASONRY LEVEL 2 – VERIFICATION / INSPECTION See Table 1704.5.3 – Level 2 Special Inspection	Continuous during task	Periodic during Task
	1. From the beginning of masonry construction, the following shall be verified to ensure compliance:		
	<ul style="list-style-type: none"> a. <input type="checkbox"/> Proportions of site prepared mortar, grout and prestressing grout for bonded tendons 	---	X
	<ul style="list-style-type: none"> b. <input type="checkbox"/> Placement of masonry units and construction of mortar joints 	---	X
	<ul style="list-style-type: none"> c. <input type="checkbox"/> Placement of reinforcement, connectors and prestressing tendons and anchorages 	---	X
	<ul style="list-style-type: none"> d. <input type="checkbox"/> Grout space prior to grouting 	X	---
	<ul style="list-style-type: none"> e. <input type="checkbox"/> Placement of grout 	X	---
	<ul style="list-style-type: none"> f. <input type="checkbox"/> Placement of prestressing grout 	X	---
	2. The inspection program shall verify:		
	<ul style="list-style-type: none"> a. <input type="checkbox"/> Size and location of structural elements 	---	X
	<ul style="list-style-type: none"> b. <input type="checkbox"/> Type, size and location of anchors, including other details anchorage of masonry to structural members, frames or other construction 	X	---
	<ul style="list-style-type: none"> c. <input type="checkbox"/> Specified size, grade and type of reinforcement 	---	X
	<ul style="list-style-type: none"> d. <input type="checkbox"/> Welding of reinforcing bars 	X	---
	<ul style="list-style-type: none"> e. <input type="checkbox"/> Protection of masonry during cold weather (temperature below 40 degrees F) or hot weather (temperature above 90 degrees F) 	---	X
	<ul style="list-style-type: none"> f. <input type="checkbox"/> Application and measurement of prestressing force 	X	---

	3. Preparation of any required grout specimens, mortar	X	---
	4. Specimens and/or prisms shall be observed.		
	5. Compliance with required inspection provisions of the construction documents and the approved submittals shall be verified.	---	X
	6. Other		
11.	SOILS – VERIFICATION / INSPECTION See Table 1704.7	Continuous during task	Periodic during Task
	1. <input type="checkbox"/> Verify materials below footings are adequate to achieve the design bearing capacity	---	X
	2. <input type="checkbox"/> Verify excavations are extended to proper depth and have reached proper material	---	X
	3. <input type="checkbox"/> Verify classification and testing of controlled fill have been performed	---	X
	4. <input type="checkbox"/> Verify use of proper materials, densities and lift thicknesses during placement and compaction of controlled fill	X	---
	5. <input type="checkbox"/> Prior to placement of controlled fill, observe subgrade and verify that site has been prepared properly	---	X
	6. Other		
12.	PILE FOUNDATIONS – VERIFICATION / INSPECTION See Table 1704.8	Continuous during task	Periodic during Task
	1. Verify pile materials, sizes and length comply with requirements	X	---
	2. Determine capacities of test piles, and conduct additional load tests, as required	X	---
	3. Observe driving operations and maintain complete and accurate records for each pile	X	---
	4. Verify placement locations and plumbness, confirm type and size of hammer, record number of blows per foot of penetration, and required penetrations to achieve design capacity. Record tip and butt elevations and document pile damage. Required penetration is usually determined by the registered design professional for this work.	X	---
	5. For steel piles, verify additional inspections have been made in accordance with Section 1704.3 and Table 1704.3	---	---
	6. For concrete piles and concrete-filled piles, verify that additional inspections have been made in accordance with Section 1704.4 and Table 1704.4	---	---
	7. For specialty piles, perform additional inspections as determined by the registered design professional in responsible charge	---	---
	8. For augered uncased piles and caisson piles, perform inspections in accordance with Section 1704.9	---	---
	9. Other		
13.	PIER FOUNDATIONS – VERIFICATION / INSPECTION See Table 1704.9	Continuous during task	Periodic during Task
	1. Observe drilling operations and maintain complete and accurate records for each pier	X	---
	2. Verify placement locations and plumbness, confirm pier diameters, bell diameters (if applicable), lengths,	X	---

	embedment into bedrock (if applicable) and adequate end bearing strata capacity.		
	3. For concrete piles and concrete-filled piles, verify that additional inspections have been made in accordance with Section 1704.4 and Table 1704.4	---	---
	4. For masonry piles, verify that additional inspections have been made in accordance with Section 1704.5 and Tables 1704.5.1 and 1704.5.2	---	---
	5. Other		
14.	OTHER MATERIALS – VERIFICATION / INSPECTION		
15.	OTHER WORK – VERIFICATION / INSPECTION		

Note – As schedules are developed, space for the special inspector, date of inspection, and the design profession in responsible charge should be provided as well as other who may need to recognize the inspections have been completed.