

**ST. EDWARD STATE PARK  
FIELD IMPROVEMENTS**

**SEPA Environmental Checklist**

**August 2016**

**Prepared For:  
City of Kenmore**

**Prepared By:  
ESA**



**Contents**

**A. Background ..... 1**

**B. Environmental Elements ..... 4**

- 1. Earth .....4
- 2. Air .....6
- 3. Water.....6
- 4. Plants .....9
- 5. Animals .....10
- 6. Energy and Natural Resources .....11
- 7. Environmental Health.....12
- 8. Land and Shoreline Use .....13
- 9. Housing.....15
- 10. Aesthetics .....16
- 11. Light and Glare .....16
- 12. Recreation .....17
- 13. Historic and Cultural Preservation .....21
- 14. Transportation.....24
- 15. Public Services .....26
- 16. Utilities.....26

**C. Signature..... 27**

**D. References ..... 28**

**Figures ..... 31**

**Attachment A: St. Edward Park Historic Resources ..... 33**



**A. Background** [\[help\]](#)

1. Name of proposed project, if applicable: [\[help\]](#)

*St. Edward State Park Ball Field Improvements*

2. Name of applicant: [\[help\]](#)

*The City of Kenmore Department of Community Development*

3. Address and phone number of applicant and contact person: [\[help\]](#)

*Debbie Bent  
Community Development Director  
18120 68<sup>th</sup> Avenue NE  
Kenmore, WA  
425-398-8900  
[dbent@kenmorewa.gov](mailto:dbent@kenmorewa.gov)*

4. Date checklist prepared: [\[help\]](#)

*August 4, 2016*

5. Agency requesting checklist: [\[help\]](#)

*The City of Kenmore*

6. Proposed timing or schedule (including phasing, if applicable): [\[help\]](#)

*Ballfield improvements are proposed for construction in the spring/summer of 2017 or 2018 and work is anticipated to last 4 to 6 months. Field lighting may be constructed in a later phase.*

7. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain. [\[help\]](#)

*None are known at this time.*

8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal. [\[help\]](#)

- *St. Edward State Park Ball Field Improvements Critical Areas Report and Conceptual Mitigation Plan (ESA, August 2016)*
- *St. Edward State Park Tree Protection Plan (Tree Solution Inc., August 2016)*
- *Flood lighting design information*
- *Comparison of synthetic turf versus natural turf*
- *Traffic and Parking Analysis (Fehr & Peers, May 2016)*

- *Stormwater Technical Information Report (Perteet, July 2016a)*

9. Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain. [\[help\]](#)

*Government approvals related to a separate proposal to renovate the seminary building at St. Edward State Park are under review. The property affected by the seminary renovation does not directly affect the property covered by the ballfield improvements proposal.*

10. List any government approvals or permits that will be needed for your proposal, if known. [\[help\]](#)

- *Lease Agreement between the Washington State Parks and Recreation Commission and City of Kenmore*
- *City of Kenmore – SEPA review and determination; Public Agency and Utility Exception (PAUE) to vary from wetland buffer requirements; Engineering Permit; and Building Permit.*
- *Washington State Department of Ecology—Construction Stormwater General Permit*

11. Give brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.) [\[help\]](#)

*The City of Kenmore proposes improvements to the existing informal grass ballfield area in St. Edward State Park. The site vicinity is shown in Figure 1. For additional information on the proposed project design, please refer to the St. Edward Park Sports Field plans (Perteet, 2016b).*

*The existing ballfield (approximately 3.5 acres) at St. Edward State Park will be renovated to a new public sports field. The City proposes a field designed to accommodate two little league fields, two youth soccer fields, one full-size soccer field, or one full size cricket field (Figure 2).*

*The ballfield will be shifted to the west and moved outside of the delineated wetland area, so there will be no direct wetland impacts. Installation of the synthetic turf field would cover 37,932 square feet of disturbed wetland buffer, which is currently mowed grass. Another 4,725 square feet of mowed wetland buffer would be filled during site grading, but not covered with synthetic turf. Approximately 30,000 square feet of wetland enhancement and 25,000 square feet of wetland buffer enhancement (total 1.3 acres) is proposed as mitigation for buffer impacts. Wetland enhancement will occur primarily within the palustrine emergent portion of this wetland. This area contains mowed and disturbed emergent species. Invasive species such as Himalayan blackberry would be removed, and the area replanted with native emergent and shrub species.*

*As part of ballfield site preparation, approximately 131,000 square feet of sod will be removed from under the field. Once the sod is stripped, a 6-inch thick layer of free-draining aggregate will be placed over the subgrade, which will be covered with a 6-inch thick plastic grating system. The field will be graded flat and covered with a non-toxic synthetic turf and contain a sand infill. The new 100,632 square foot synthetic turf field will be pervious, and a subsurface stormwater system will be installed to provide drainage for the field. Controlled stormwater detention will maintain the natural hydrology to the surrounding wetland.*

*Porous concrete will be used to provide a walking path around the perimeter of the fields, support the backstop posts and to provide a floor surface in the new dugouts. An ADA-accessible permeable trail, approximately 6 feet wide, will be installed to connect the western side of the fields to the parking areas and access road.*

*Ten LED floodlight poles will be installed around the perimeter of the field to accommodate field use. Field lighting may be constructed as a later phase. Lighting hours will be outlined in the lease agreement between the City of Kenmore and the State Park Commission. The proposed lighting will consist of LED floodlights mounted on 70 feet tall galvanized steel poles. The poles will be installed as close to the field as possible so as to not compromise the safety of the players, to allow for pedestrian access, and to minimize impacts to wildlife habitat in the vicinity to the extent possible. Lighting will be designed to minimize glare and light spillage.*

*The old backstop in the northwest corner of the field will be removed, and two new backstops will be installed. The backstops will be approximately 28 feet high and made from chainlink fencing material supported by metal posts. The dugouts will also be constructed of chainlink fencing with roofs. Covered bleachers are proposed and a small equipment shed (10' x 25') will be constructed near the southwest corner of the field.*

*No trees will be removed. Tree protection measures will be implemented during construction in accordance with recommendations in the Tree Protection Plan (Tree Solutions, 2016). An additional 45 western red cedar trees are proposed to be planted adjacent to the north side of the field to screen the ballfield.*

*There are 220 parking stalls available for visitors to St. Edward State Park; these visitors include ballfield users and spectators. The proposed project will increase the parking supply by 19 new parking stalls. The existing strip of gravel parking on the west side of the ball field (20 parking spaces) will be paved and restriped and pavement extended to add 7 new parking stalls. In addition, the northernmost parking lot (55 parking spaces) will be restriped to add 11 new parking stalls.*

12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist. [\[help\]](#)

*The ballfield site is located east of the Saint Edward seminary buildings and northwest of Bastyr University, within St. Edward State Park in the city of Kenmore, Washington (Section 23, Township 26 North, Range 4 East) (Figure 1). The park is located at 14445 Juanita Drive NE, and spans from Juanita Drive easterly to the shores of Lake Washington. Much of the 316-acre park is undeveloped and consists of forested habitat, steep ravines, streams and wetlands. Single-family residential areas are located north and south of the park. Arrowhead Elementary is immediately north of the park.*

*An existing mowed grass ballfield, the site of the proposed ballfield improvements, is located in the northeast portion of the park to the south of the entrance road. The ballfield is surrounded by forest and wetlands to the east and south. To the west of the field lies a picnic area with mature evergreen trees, a gravel parking lot, and restroom facilities.*

## B. Environmental Elements [\[help\]](#)

### 1. Earth [\[help\]](#)

#### a. General description of the site: [\[help\]](#)

(circle one): Flat, rolling, hilly, steep slopes, mountainous, other \_\_\_\_\_

*The existing ballfield is relatively flat. The topography slopes upward from the ballfield to the east and west. The topography slopes downward to the south.*

#### b. What is the steepest slope on the site (approximate percent slope)? [\[help\]](#)

*The steepest slopes on the project site are approximately 30% along the eastern edge of the existing ballfield.*

#### c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them and note any agricultural land of long-term commercial significance and whether the proposal results in removing any of these soils. [\[help\]](#)

*Soils within the existing ballfield location and surrounding area are mapped by the Natural Resources Conservation Service as Alderwoods gravelly sandy loam, 6 to 15% slopes (Arch). No prime farmland is present.*

#### d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe. [\[help\]](#)

*Land in the immediate vicinity of the existing ballfield is relatively flat and does not appear to have unstable or landslide-prone soils. The City of Kenmore Critical Areas maps indicate that western slopes of St. Edward State Park along Lake Washington as an erosion and landslide hazard area. Ravines are located to the northwest and south of the site approximately one-half mile away.*

#### e. Describe the purpose, type, total area, and approximate quantities and total affected area of any filling, excavation, and grading proposed. Indicate source of fill. [\[help\]](#)

*As part of ballfield site preparation, approximately 131,000 square feet of sod will be removed from under the field. Once the sod is stripped, a 6-inch thick layer of free-draining aggregate will be placed over the subgrade, which will be covered with a 6-inch thick plastic grating system. The field will be graded flat and covered with a non-toxic synthetic turf and contain a sand infill. The new 100,632 square foot synthetic turf field will be pervious, and a subsurface stormwater system will be installed to provide drainage for the field. Controlled stormwater detention will maintain the natural hydrology to the surrounding wetland.*

*In total, approximately 6,200 cubic yards of sod and soil will be excavated from the site and disposed of offsite at a licensed facility intended for that purpose. Approximately 11,000 cubic yards of sand, gravel, and base course material will be imported to underlay the field and construct the stormwater system and pathways. All fill material will be obtained from local suppliers.*

*Porous concrete will be used to provide a walking path around the perimeter of the fields, support the backstop posts and to provide a floor surface in the new dugouts. An ADA accessible permeable trail,*

*approximately 6 feet wide, will be installed to connect the western side of the fields to the parking areas and access road.*

- f. Could erosion occur as a result of clearing, construction, or use? If so, generally describe.

[\[help\]](#)

*Minor and temporary soil erosion could occur as a result of clearing and grading during project construction, primarily during rainfall events. However, any potential for erosion would be minimized with adherence to best management practices (BMPs) approved by the Department of Ecology and the City of Kenmore (Refer to question 1.h. below).*

- g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)? [\[help\]](#)

*A small equipment shed (approximately 10' x 25') will be constructed near the southwest corner of the field, and four covered dugout/bleacher structures (each approximately 10' x 25') will be constructed adjacent to the 2 baseball backstops; the total impervious surface coverage for these structures is approximately 750 square feet. The existing gravel parking strip will be paved and restriped, adding approximately 5,000 square feet of impervious surface. After construction, approximately 2% of the site will be covered with impervious surfaces.*

*Approximately 16,000 square feet of porous concrete, allowing for infiltration, will be used to provide a walking path around the perimeter of the fields, support the backstop posts and to provide a floor surface in the new dugouts. The new synthetic turf field (100,632 square feet in area) will also be completely pervious.*

- h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any: [\[help\]](#)

*BMPs are physical, structural, and/or managerial practices that can prevent or reduce erosion and pollution of water caused by construction activities. The following mitigation measures and BMPs would be incorporated during construction to minimize the potential for erosion:*

- *Construction of the proposed project, including all staging areas, would be restricted to the project site. Clearing limits will be marked by high visibility construction fencing.*
- *Disturbed areas that will not be paved or covered with synthetic surf will be stabilized (e.g. seeded) as soon as possible.*
- *Construction activities, temporary stockpiling and staging areas, will remain outside of wetland areas.*
- *A Stormwater Pollution Prevention Plan (SWPPP), which includes a Temporary Erosion and Sediment Control (TESC) Plan, would be required to prevent sediment transport from the project site.*
- *Erosion control measures could include use of silt fencing, stabilized construction entrance, and other measures as specified in the SWPPP.*
- *Other erosion control measures would be incorporated, as necessary, in accordance with City of Kenmore and Department of Ecology requirements.*

*In addition to the above BMPs, construction of the project will be timed to occur during the dry season starting spring or summer of 2017 or 2018.*

## 2. Air [\[help\]](#)

- a. What types of emissions to the air would result from the proposal during construction, operation, and maintenance when the project is completed? If any, generally describe and give approximate quantities if known. [\[help\]](#)

*Some construction emissions can be expected during project construction (exhaust emissions from construction vehicles and equipment). The mitigation listed in Section 2.c, would ensure that the effects of construction activities on air quality would be minimized.*

- b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe. [\[help\]](#)

*There are no known off-site sources of emissions or odor that would affect the project.*

- c. Proposed measures to reduce or control emissions or other impacts to air, if any: [\[help\]](#)

*Best management practices to control fugitive dust and reduce equipment emissions will be implemented if needed. Measures that could be incorporated during construction to minimize impacts to air quality include:*

- *Spray exposed soil and storage areas with water during dry periods.*
- *Remove particulate matter deposited on paved roads and sidewalks to reduce mud and dust; sweep and wash streets frequently to control dust.*
- *Equip construction equipment with appropriate emission controls and mufflers.*
- *Reduce idling times of construction equipment and vehicles when not active.*
- *Other emission control measures would be incorporated, as necessary, in accordance with City of Kenmore and Department of Ecology requirements.*

## 3. Water [\[help\]](#)

- a. Surface Water:

- 1) Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into. [\[help\]](#)

*One wetland, designated as Wetland A, was identified in the study area. Wetland A is a palustrine emergent (PEM) and palustrine forested (PFO) wetland located along the eastern and southern sides of the existing ballfield (Figure 3). The onsite PEM portion of Wetland A is part of the mown field and is considered degraded. The forested portion to the south is higher quality supporting large cottonwood and red cedar trees. A drainage ditch, located along the eastern side of the ballfield, flows south and empties into the interior of the wetland. The ditch is considered an artificially constructed drainage feature and not a regulated stream, although it is a component of the regulated wetland.*

*A small seasonal stream drains south and west from Wetland A to Lake Washington. The stream channel begins within Wetland A, approximately 500 feet south of the existing ballfield (Figure 4)*

*A linear drainage feature (ditch) is present along the western side of the ballfield. This ditch is considered an artificially constructed drainage feature and not a regulated stream or wetland.*

*See St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information.*

- 2) Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans. [\[help\]](#)

*Yes, the ballfield will be shifted to the west and moved outside of the on-site degraded wetland. Per the Kenmore Municipal Code (KMC), Wetland A is a Class 2 wetland because it contains a forested wetland class (KMC 18.55.300). The City of Kenmore requires a 100-foot buffer for all Class 2 wetlands (KMC 18.55.330).*

*Though the proposed project will not have any direct permanent wetland impacts, it will result in 37,932 square feet of permanent buffer impact (Figure 3). An additional 4,725 square feet of wetland buffer would be filled during site grading, but not covered with synthetic turf. The impacted buffer is currently part of the mowed grass field area. Mitigation is proposed through the enhancement of Wetland A and its remaining buffer. Wetland enhancement would occur within the PEM portion of Wetland A, which is currently mowed. Invasive species such as Himalayan blackberry would be removed, and the area replanted with native emergent and shrub species.*

*Part of the non-jurisdictional ditch located on the west side of the project site will be filled by the installation of the ballfield perimeter trail. The wetland ditch along the east side of the field will not be altered. The project will not directly impact the seasonal stream which begins approximately 500 feet south of the current ballfield (Figure 4).*

*See the St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information*

- 3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material. [\[help\]](#)

*No fill material or dredge material will be placed in or removed from surface waters or wetlands.*

- 4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known. [\[help\]](#)

*No surface water withdrawals or diversions are necessary for project construction or operation.*

- 5) Does the proposal lie within a 100-year floodplain? If so, note location on the site plan. [\[help\]](#)

*No, the project site does not lie within a 100-year floodplain.*

- 6) Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge. [\[help\]](#)

*The proposed project does not involve discharges of waste materials to surface waters.*

b. Ground Water:

- 1) Will groundwater be withdrawn from a well for drinking water or other purposes? If so, give a general description of the well, proposed uses and approximate quantities withdrawn from the well. Will water be discharged to groundwater? Give general description, purpose, and approximate quantities if known. [\[help\]](#)

*The proposed project does not involve groundwater withdrawals from wells or discharges to groundwater.*

- 2) Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals. . . ; agricultural; etc.). Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve. [\[help\]](#)

*The proposed project will not involve any waste discharges to groundwater.*

c. Water runoff (including stormwater):

- 1) Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe. [\[help\]](#)

*Surface water currently flows from the surface of the existing ballfield area south into Wetland A before entering a small stream that eventually discharges to Lake Washington. The lake is located approximately 0.5 mile from the ballfield area. There is no existing stormwater management system for the ballfield area.*

*The proposed ballfield improvements will use permeable synthetic turf, directly below which will be a plastic collection grid system with void space for stormwater runoff to accumulate and flow to a detention system constructed below it. Permeable pavement will be used for the pedestrian paths, and underdrains below the paths will collect runoff and route it to the detention system. Runoff from the asphalt-paved parking area along the west side of the field will sheet flow to the adjacent permeable pedestrian walkway, where it will enter the stormwater detention system. Stormwater will exit the detention system from a pipe at the southwest corner of the field, which will flow south towards Wetland A. The outfall pipe is located outside of the buffer of Wetland A.*

*See St. Edward Park Sport Field Stormwater Report (Perteet, 2016a) for additional information.*

- 2) Could waste materials enter ground or surface waters? If so, generally describe. [\[help\]](#)

*BMPs (described below in 3.d) will minimize the potential for sediment and waste materials to enter streams and wetlands during construction. No materials will be discharged to ground or surface waters as a result of ballfield improvements.*

- 3) Does the proposal alter or otherwise affect drainage patterns in the vicinity of the site? If so, describe. [\[help\]](#)

*The proposed project is not expected to affect drainage patterns in the site vicinity; runoff from the ballfield site will continue to flow to Wetland A. See St. Edward Park Sport Field Stormwater Report (Perteet 2016) for additional information.*

- d. Proposed measures to reduce or control surface, ground, and runoff water, and drainage pattern impacts, if any: [\[help\]](#)

*The following mitigation measures and BMPs would be incorporated during construction to reduce or control surface, ground, and runoff water, and drainage pattern impacts:*

- *Construction of the proposed project, including all staging areas, would be restricted to the project site.*
- *All debris and spoil material would be transported off-site to an appropriate disposal facility.*
- *A SWPPP, which includes a TESC Plan, would be required to prevent sediment transport from the project site.*
- *Erosion control measures could include use of silt fencing, a stabilized construction entrance, and other measures as specified in the SWPPP.*
- *Locating staging areas in areas that will prevent the potential of contamination of any wetland or water body consistent with project permits.*
- *Other erosion control measures would be incorporated, as necessary, in accordance with City of Kenmore and Ecology requirements.*

*See St. Edward Park Sport Field Stormwater Report (Perteet 2016) for additional information.*

#### 4. Plants [\[help\]](#)

- a. Check the types of vegetation found on the site: [\[help\]](#)

deciduous trees: *alder, black cottonwood, big-leaf maple*

evergreen trees: *Douglas fir, western red cedar*

shrubs: *salmonberry, willow, sword fern, Indian plum, trailing blackberry, Himalayan blackberry, hawthorn, thimbleberry*

Grass: *red fescue, bluegrass, creeping bentgrass*

Pasture: *mowed grasses on ballfield surface*

crop or grain: *N/A*

Orchards, vineyards or other permanent crops: *N/A*

wet soil plants: *soft rush, creeping buttercup, small-fruited bulrush, sedge species*

water plants: *N/A*

*See the St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information.*

b. What kind and amount of vegetation will be removed or altered? [\[help\]](#)

*The project footprint is designed to avoid existing vegetation in the wetland to the extent possible. No trees will be removed. Construction of the synthetic turf field surface and associated pervious pathways will require removal of approximately 131,000 square feet of sod*

c. List threatened and endangered species known to be on or near the site. [\[help\]](#)

*There are no threatened or endangered plant species on the project site. The Washington Natural Heritage Program (WNHP, 2015) maps a historic occurrence of Canadian St. John's wort (*Hypericum majus*) approximately 2,000 feet south of the ballfield. This species is a state listed sensitive species. It was last observed in this mapped area in 1891. It is possible, though unlikely, that this species could occur within the greater St. Edward State Park.*

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any: [\[help\]](#)

*The sports field improvements were positioned as far away from Wetland A as possible to avoid wetland impacts. The new fields will be located almost entirely within an existing mowed ballfield, minimizing the need for removal of native vegetation. Additionally, no trees will be removed.*

*All direct impacts to the wetland area have been avoided. Wetland and buffer enhancement would occur within the palustrine emergent portion of Wetland A; a total area of approximately 55,000 square feet will be restored. This area currently contains mowed and disturbed emergent species. Invasive species such as Himalayan blackberry would be removed, and the area replanted with native emergent and shrub species. The proposed wetland and buffer enhancement plan will provide a greater diversity and density of native plants and increase the habitat value for native wildlife species, as opposed to existing conditions. See the St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information.*

*In addition, 45 red cedar trees will be planted on the north side of the ballfield as a screening measure, which will also enhance vegetation on the site.*

e. List all noxious weeds and invasive species known to be on or near the site. [\[help\]](#)

*Himalayan blackberry, evergreen blackberry, English ivy, and English holly, all occurring on the King County Noxious Weed List, have been identified at the project site. Although not observed on site, tansy ragwort is also mapped as occurring near the site on King County's iMAP noxious weed mapping (2016).*

## 5. Animals [\[help\]](#)

a. List any birds and other animals which have been observed on or near the site or are known to be on or near the site. [\[help\]](#)

*birds: Eastside Audubon reports that at least 28 birds are commonly seen at St. Edward State Park (2004); bald eagle are documented to nest along the western slopes of the park.*

*mammals: Douglas squirrel (observed); also likely coyote, raccoon, Virginia opossum, Eastern gray squirrel*

fish: none

amphibians: Pacific tree frogs (potentially present in stream/wetland)

reptiles: garter snake (potentially present in stream/wetland)

- b. List any threatened and endangered species known to be on or near the site. [\[help\]](#)

*There are no threatened or endangered species known to be present in the project area. Bald eagle (recently delisted) and pileated woodpecker (state candidate species) are documented in the greater St. Edward State Park by the Washington Department of Fish and Wildlife Priority Habitats and Species program. Several other state or federally listed sensitive species could be present in forest or wetland habitats in the project vicinity, including western toad, Vaux's swift, olive-sided flycatcher, several species of bats, and mink (City of Kenmore, 2004).*

- c. Is the site part of a migration route? If so, explain. [\[help\]](#)

*The Puget Sound area is located within the Pacific Flyway, which is a flight corridor for migrating waterfowl and other avian fauna. The Pacific Flyway extends from Alaska to South America. There are no other migration routes in the project vicinity.*

- d. Proposed measures to preserve or enhance wildlife, if any: [\[help\]](#)

*Wetland and buffer plantings will provide enhanced habitat for birds, mammals and other wildlife. The Wetland A buffer area contains several wildlife nest or feeding boxes, which will be left in place. Additionally, the project will not result in tree removal, and an additional 45 western red cedar trees will be planted on the north side of the ballfield.*

*The proposed lighting will be installed as close to the field as possible to reduce impacts to wildlife habitat in the vicinity to the greatest extent possible. Lighting will only be operational during gameplay. In addition, lighting has been designed to have an average maintained lighting of 50 footcandles in the infield and 30 footcandles in the outfield, further reducing impacts wildlife habitat in the vicinity during field use.*

- e. List any invasive animal species known to be on or near the site. [\[help\]](#)

*Rodents (e.g. rats) and Eastern gray squirrel are likely present in the project area.*

## 6. Energy and Natural Resources [\[help\]](#)

- a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc. [\[help\]](#)

*The proposed project will require electricity to operate the LED floodlights during nighttime field use.*

- b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe. [\[help\]](#)

*The project would not require the use of solar energy and would not affect solar energy use by adjacent properties.*

- c. What kinds of energy conservation features are included in the plans of this proposal?  
List other proposed measures to reduce or control energy impacts, if any: [\[help\]](#)

*The only energy required post-construction will be electricity to operate the LED floodlights. LED lights were chosen during project design due to their high energy efficiency over other options such as incandescent lighting.*

## 7. Environmental Health [\[help\]](#)

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe. [\[help\]](#)

*With any construction project there is a risk of potential construction related spills or leaks. This project would face similar risks, but all risks would be well within the range of typical construction projects and BMPs and mitigation measures will minimize risk. No toxic chemicals would be stored at the construction site, other than fuels and other construction related fluids. Fuels and lubricants would be stored on existing paved surfaces in the parking lot area.*

- 1) Describe any known or possible contamination at the site from present or past uses. [\[help\]](#)

*No known contamination is present at the site.*

- 2) Describe existing hazardous chemicals/conditions that might affect project development and design. This includes underground hazardous liquid and gas transmission pipelines located within the project area and in the vicinity. [\[help\]](#)

*There are no known hazardous chemicals or conditions present at the site that might affect the project development or design.*

- 3) Describe any toxic or hazardous chemicals that might be stored, used, or produced during the project's development or construction, or at any time during the operating life of the project. [\[help\]](#)

*During construction, fuels, oils and grease will be used for equipment. The completed project will not result in the storage, use, or production of any toxic or hazardous materials.*

- 4) Describe special emergency services that might be required. [\[help\]](#)

*Emergency services are not anticipated at the site. In the unlikely event that an accident occurs, the local emergency service will respond.*

- 5) Proposed measures to reduce or control environmental health hazards, if any: [\[help\]](#)

*As described in 7a above, applicable measures would be followed to minimize release of any hazardous materials if encountered on the site and a Spill Prevention Control and Countermeasure plan will be in place prior to construction.*

b. Noise [\[help\]](#)

- 1) What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)? [\[help\]](#)

*There are no sources of noise in the area which would affect the project.*

- 2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site. [\[help\]](#)

*Temporary noise impacts would result during construction of the sports fields. Noise typical for clearing, filling, grading, and construction of backstops, fencing, seating and dugouts can be anticipated. Heavy machinery, including a bulldozer, trencher, grader, and seeder, large trucks and power tools will be required to complete this project. Construction hours and noise levels would comply with the City of Kenmore's noise standards which limits construction noise to between the hours of 7:00 am and 7:00 pm Monday through Friday, 9:00 am and 5:00 pm Saturday, and no construction on Sunday (Kenmore Municipal Code [KMC] Chapter 8.05.020.F). Construction is anticipated to last four to six months. Nighttime construction is not anticipated.*

*The proposed improvements include the installation of floodlights to accommodate field use. Currently field use is limited to daytime use. The lease agreement between the City of Kenmore and State Parks Commission will specify hours for field lighting. Allowed times for field lighting are expected to be no sooner than 3 pm to no later than 9 pm daily with no obligation to light the fields during evening "open play" hours. The field lighting may be constructed in a later phase.*

*Post-construction, a minimal increase in noise is expected to result from gameplay, open informal field use, and maintenance operations. The hours of operation and scheduling guidelines for the field will be included in the lease agreement between the City of Kenmore and State Parks Commission.*

*The City will be responsible for the operation and scheduling of the ballfields. Anticipated open play hours will be at least 24 daylight hours per week between March 1<sup>st</sup> and November 1<sup>st</sup>, with at least 4 evening open play hours (3:00 pm or later) occurring at least one weekday per week. Noise produced by field usage will comply with the City of Kenmore's noise standards (KMC Chapter 8.05.020).*

- 3) Proposed measures to reduce or control noise impacts, if any: [\[help\]](#)

*As stated above, the project would adhere to the City of Kenmore noise standards (KMC 8.05.020.F). The ballfield is lower in elevation and surrounded by forested areas to the south and east, and large trees on the east. The proposed planting of 45 western red cedar trees along the north side of the field will further help to reduce noise impacts to the immediate area.*

## 8. Land and Shoreline Use [\[help\]](#)

- a. What is the current use of the site and adjacent properties? Will the proposal affect current land uses on nearby or adjacent properties? If so, describe. [\[help\]](#)

*The existing ballfield area is currently used for baseball, soccer, cricket, and other informal recreational activities.*

*Land uses directly surrounding the 3.5-acre ballfield area include Bastyr University, the St. Edward seminary building, parking areas, and forested areas with recreational trails. The project lies within the 316-acre St. Edward State Park, which is managed by the Washington State Parks and Recreation Commission.*

*Land uses outside of and in the vicinity of the park include predominantly single-family housing communities, schools, and a golf course. Lake Washington is located west of the park.*

*The proposal will continue the recreational use of the ballfields and will not affect current land uses.*

- b. Has the project site been used as working farmlands or working forest lands? If so, describe. How much agricultural or forest land of long-term commercial significance will be converted to other uses as a result of the proposal, if any? If resource lands have not been designated, how many acres in farmland or forest land tax status will be converted to nonfarm or nonforest use? [\[help\]](#)

*Based on 1936 aerial photos, the site has not been used as working farmlands or working forest lands in the past 80 years.*

- 1) Will the proposal affect or be affected by surrounding working farm or forest land normal business operations, such as oversize equipment access, the application of pesticides, tilling, and harvesting? If so, how: [\[help\]](#)

*No, there are no working farmlands or working forest lands on or near the proposed project site.*

- c. Describe any structures on the site. [\[help\]](#)

*The existing ballfield includes chainlink dugouts, a backstop, and small bleacher seating. There are restrooms and a parking lots located west and southwest of the existing ballfield.*

- d. Will any structures be demolished? If so, what? [\[help\]](#)

*The existing chainlink backstop and associated fencing will be demolished and replaced.*

- e. What is the current zoning classification of the site? [\[help\]](#)

*According to the City of Kenmore's Zoning Map, the proposed project site is zoned as Parks.*

*The project site is designated as Recreation in the State Parks Land Classification and Long Term Boundary Map (Washington State Parks and Recreation Commission, 2008).*

- f. What is the current comprehensive plan designation of the site? [\[help\]](#)

*The Land Use Plan Map from the Comprehensive Plan designates the State Park as "public/private institutions" (City of Kenmore, 2015). The Zoning Map designates the property as "Park." The Park Zone was created in 2006 (Ordinance 06-0254) as one of the zones to implement the Comprehensive Plan Land Use designation of public/private institutions.*

*The Historic Resources Inventory Map from the Kenmore Comprehensive Plan indicates that St. Edward State Park is in the King County Historic Resources Inventory (City of Kenmore, 2015). However, the St. Edwards Seminary is not on King County's list of designated landmarks (King County, 2015). According to the State of Washington Office of Archaeology and Historic Preservation, the St. Edward Seminary is listed on the State of Washington Heritage Register and the National Register of Historic Places.*

- g. If applicable, what is the current shoreline master program designation of the site? [\[help\]](#)

*St. Edward State Park lies along Lake Washington, which is considered a Shoreline of Statewide Significance. The ballfield site is located over 2,000 from the lake shoreline, outside of the 200-foot shoreline jurisdiction zone of Lake Washington.*

- h. Has any part of the site been classified as a critical area by the city or county? If so, specify. [\[help\]](#)

*One wetland and associated buffer are located on the site. A seasonal stream is located approximately 500 feet to the south of the site. See the St. Edwards State Park Ballfield Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information.*

- i. Approximately how many people would reside or work in the completed project? [\[help\]](#)

*No people would reside in the project area. People who may occasionally work in the area following construction include, City maintenance staff and State Parks staff.*

- j. Approximately how many people would the completed project displace? [\[help\]](#)

*The completed project would not displace any people.*

- k. Proposed measures to avoid or reduce displacement impacts, if any: [\[help\]](#)

*Displacement will not occur as a result of the project; therefore, mitigation measures have not been developed.*

- l. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any: [\[help\]](#)

*The use of the existing ballfield site for improved sports fields is compatible with City and State Parks land use plans for the site. The lease agreement between the City of Kenmore and State Park Commission will outline terms of use and operation for the leased premises.*

- m. Proposed measures to ensure the proposal is compatible with nearby agricultural and forest lands of long-term commercial significance, if any: [\[help\]](#)

*There are no agricultural or forest lands of long-term commercial significance in the project vicinity.*

## 9. Housing [\[help\]](#)

- a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing. [\[help\]](#)

*No housing units will be provided by the proposed project.*

- b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing. [\[help\]](#)

*No housing units will be eliminated by the proposed project.*

- c. Proposed measures to reduce or control housing impacts, if any: [\[help\]](#)

*No measures are necessary.*

## 10. Aesthetics [\[help\]](#)

- a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed? [\[help\]](#)

*The tallest structures will be the LED floodlights, which will be installed on 70 feet tall galvanized steel poles. As previously noted, lighting may be installed as a later phase. The backstops at the northwest and southeast corners of the ballfield are planned to be approximately 28 feet high and made from vinyl coated chain link fencing material. Other structures include covered bleachers (12 feet tall), covered dugouts (12 feet tall), and bull pens (12 feet tall) on the northwest and southeast corners of the field. A small equipment shed (approximately 10 feet tall) will be constructed near the southwest corner of the field.*

- b. What views in the immediate vicinity would be altered or obstructed? [\[help\]](#)

*Views of the forests surrounding the ballfield site may be slightly altered by the addition of the floodlights, new backstops, and the proposed 45 western red cedar trees to be planted along the north side of the field.*

- b. Proposed measures to reduce or control aesthetic impacts, if any: [\[help\]](#)

*Black vinyl coated chain link fence would be used on the new backstops to reduce visual impacts. The addition of evergreen trees (45 western red cedars) adjacent to the northern side of the ballfield will help screen the ballfield.*

## 11. Light and Glare [\[help\]](#)

- a. What type of light or glare will the proposal produce? What time of day would it mainly occur? [\[help\]](#)

*The lighting levels for the field will be design at Class II level listed in RP-8 (Recommended Practice for Sports Lighting) by the Illuminating Engineering Society of North America. Light design and placement has been designed to have an average maintained lighting of 50 footcandles in the infield and 30 footcandles in the outfield to reduce and light impacts in the vicinity of the ballfield. Lighting will only be operational during scheduled nighttime field use.*

*The proposed lighting uses extensive shielding to minimize the impact of glare and spill light. The lease agreement between the City of Kenmore and the State Parks Commission will specify field lighting hours, anticipated to be from no sooner than 3 pm to no later than 9 pm. While the State Park Management Plan (WSPRC, 2008) for St. Edward Park did not recommend ballfield lighting, lighting technology has significantly evolved since the plan was adopted. The lease*

*agreement is anticipated to specify that the City may install ballfield lighting, on the condition that at the time of installation, the City use the new LED lighting technology that minimizes light spillage. In addition, the lease agreement is anticipated to specify that the State Parks Director or his/her designee shall approve final lighting specifications in accordance with the lease agreement. The City is also proposing the addition of 45 evergreen trees (western red cedar) on the north side of the field to further buffer field lighting from the park.*

- b. Could light or glare from the finished project be a safety hazard or interfere with views? [\[help\]](#)

*No safety hazards from light or glare are anticipated. The City is also proposing the addition of 45 evergreen red cedar trees on the north side of the field to further buffer field lighting from the rest of the park.*

- c. What existing off-site sources of light or glare may affect your proposal? [\[help\]](#)

*There are no existing sources of light or glare that would impact the project.*

- d. Proposed measures to reduce or control light and glare impacts, if any: [\[help\]](#)

*The proposed project is in the middle of a state park with no residences in the immediate vicinity. Light and/or glare impacts are not anticipated. As previously noted in Section 11.a above, hours of field lighting will be specified in the lease agreement between the City of Kenmore and the State Parks Commission. LED field lighting technology is proposed to minimize impacts of glare and spill light and the planting additional evergreen trees will further minimize light and glare impacts.*

## 12. Recreation [\[help\]](#)

- a. What designated and informal recreational opportunities are in the immediate vicinity? [\[help\]](#)

*Recreational opportunities in St. Edward State Park include hiking, biking, wildlife watching, picnicking, soccer, bird watching, baseball, softball, cricket, play structures, orienteering, a gymnasium, walking, summer concerts and other events, and environmental education classes.*

- b. Would the proposed project displace any existing recreational uses? If so, describe. [\[help\]](#)

*The proposed project will not displace any existing recreational uses. Rather, the purpose of the project is to enhance existing uses of the site as improved/new sports fields. The Saint Edward State Park Management Plan (WSPRC, 2008) provides eleven guidelines for the ballfields. The following provides a response to each guideline:*

- 1. Continue use of the field for a variety of organized and unorganized recreational events. Prepare development, use, and maintenance agreements with local organizations such as baseball, softball, soccer, and cricket, and the City of Kenmore.*

***Response:*** *The lease agreement between the City of Kenmore and the State Parks Commission is anticipated to give operational, scheduling, and maintenance responsibilities to the City, and also require coordination on operation protocol with representatives from State Parks and the tenant of the seminary building. The City has reached out to local organizations for input and will encourage use of the fields including Little League baseball, youth soccer, and cricket. The lease agreement is also anticipated to require open unscheduled play, and other events on the fields*

may also be allowed if practical. Ballfields are not an unusual feature in State Parks. Thirteen state parks currently provide ballfield facilities; Lake Sammamish State Park is the closest example.

2. *Park Manager shall schedule facilities. Use opportunities shall be fair and equitable.*

**Response:** To avoid increased administrative burden on State Parks, it is assumed that the lease agreement will specify scheduling under the City's direction. City staff and parks staff would coordinate to avoid scheduling conflicts. Use of the ballfields would be fair and equitable. Scheduled play would be open to a variety of leagues and organization as well as unscheduled open play.

3. *Provide blocks of time for unscheduled field use.*

**Response:** The lease agreement is anticipated to require open unscheduled play.

4. *Subject to availability of funds and other limitations as noted, improve the fields to provide for no more than three baseball fields, including two overlaying soccer fields.*

**Response:** The proposal is to provide two baseball fields, which will include overlays for two youth soccer fields (or a full sized soccer field) and a cricket field.

5. *Consider creating grass spectator seating on the eastern slope adjacent to the field as noted in the cultural landscape inventory.*

**Response:** Due to the presence of wetlands on the eastern side of the fields, the proposal does to include this feature. The proposal does include spectator seating near each of the two infields.

6. *Natural grass fields are preferred. Continue use of grass on fields unless subsequent assessment shows artificial turf has comparable to less environmental impact, no adverse health conditions, lower operating expense and does not impair park management, among other considerations.*

**Response:** Refer to the comparison of synthetic vs natural turf which concludes that synthetic turf has environmental, safety and maintenance benefits over natural turf. In summary, synthetic turf requires no irrigation or fertilizer, and requires less maintenance than natural turf. Crumb rubber (i.e. ground rubber from truck and automobiles tires) will not be used.

7. *Acknowledge that field improvements require permits, including wetland mitigation.*

**Response:** The City will obtain all required permits. No direct wetland impacts are proposed as the proposed ballfield improvement area is located outside of the delineated wetland. The proposed project will result in permanent impacts to disturbed wetland buffer, which will be mitigated through wetland and buffer enhancement. See the St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan (ESA, 2016) for additional information.

8. *Increased use of the field should not have a disproportionate impact on other uses of the park nor should the use of the field control or determine other uses due to limitations or parking spaces available to the public.*

**Response:** The City will coordinate with State Park staff and the future tenant of the seminary building to minimize potential parking issues, particularly during the park's summer peak use season. There are currently 220 parking spaces available for park users, and the proposed project will increase the parking supply by 19 stalls. Parking demand is not expected to exceed capacity; however, parking demand could be close to capacity at peak park use times (typically on Saturdays).

The City and State occasionally host special events that utilize the current ballfields for overflow parking. The upgraded ballfields will not be used for parking. However, there may be potential for events that currently take place on the field behind the seminary building to occur on the improved ballfield. Then, the field behind the seminary building could be used for overflow parking. The areas are approximately the same size and both are level. See the traffic and parking analysis (Fehr & Peers, 2016) for additional information.

9. Field lighting is not recommended.

**Response:** Field lighting is proposed but may be constructed as a later phase. Lighting is proposed to extend the field usability in the shoulder season by allowing use during the same hours as in the summer.

The proposed lighting uses extensive shielding to minimize the impact of glare and spill light. The lease agreement between the City of Kenmore and the State Parks Commission will specify field lighting hours, anticipated to be from no sooner than 3 pm to no later than 9 pm. Lighting technology has significantly evolved since the Saint Edward State Park Management Plan (WSPRC, 2008) was adopted. The lease agreement is anticipated to specify that the City may install ballfield lighting at its option, on condition that at the time of installation, the City use the new lighting technology that minimizes light spillage. In addition, the lease agreement is anticipated to specify that the State Parks Director or his/her designee shall approve final lighting specifications in accordance with the lease agreement. The City is also proposing the addition of 45 evergreen red cedar trees on the north side of the field to further buffer field lighting from the rest of the park.

10. Additional parking should be provided before or concurrently with an expansion of the ballfields in accordance with the guidelines in the Parking Section of this document.

**Response:** The proposed ballfield renovation does not expand the footprint of the current ballfield or the number of fields. The City will coordinate with State Parks staff and the seminary building tenant to minimize parking and scheduling potential issues, particularly around the park's peak summer use season. There are currently 220 parking spaces available for park users, which will be increased by 19 spaces. As a result, parking demand is not expected to exceed capacity. See the traffic and parking analysis (Fehr & Peers, 2016) for additional information.

11. Ballfields, as community recreation facilities, are primarily a local government responsibility; the majority of the financial burden must be borne by local government. Those who use the fields for competitive sports should aggressively seek funding from local governments and other partners.

**Response:** The City concurs.

c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any: [\[help\]](#)

*The purpose of the project is to enhance public recreational sports opportunities. The lease between the City of Kenmore and the State Parks Commission will likely designate the City as being responsible for the operation and scheduling of the ballfields, although coordination on operating protocols and scheduling will be needed between the City staff, State Parks Staff and tenant of the Seminary building. The following illustrates the demand for youth fields and cricket and provides an example of potential field use, although actual scheduling and use may vary.*

*The City of Kenmore owns one ballfield at Moorlands Park and has a lease agreement with Bastyr University through 2025, who have two fields which are fully booked. The renovation of the St. Edward State Park ballfields will meet the field needs of the City's youth soccer and little league players. Currently, there is a shortage of ADA accessible ballfields in the City, as the one turf field at Inglemoor High School is only available to youth leagues on Sundays. Renovating the St. Edward fields will provide an ADA accessible public field.*

*Kenmore is part of a larger service area for youth soccer and baseball. Northshore Youth Soccer Association serves over 5,000 players on 504 teams within an area about four times the size of Kenmore (Kenmore is six square miles in size). The North Lake Little League has 476 players on 45 teams, serving an area twice the size of Kenmore. While there are over sixty fields (mostly on school property) in this area, four school districts and eleven recreation leagues compete for field use.*

*North Lake Little League has grown over 32% in the past three years and they play primarily on school and county park fields. During this period the league lost access to some fields and has adjusted by increasing the number of players per team, with three teams sharing two fields for practice and decreasing practice hours per team. The fields at St. Edward State Park would let the league reduce team size and increase hours played per participant. There are 274 league players who reside in Kenmore which equates to 27 teams. Because the league serves a larger area than Kenmore, calculating a regional need for fields does not answer the proportionate share of local field need. This was calculated using the following formula. Number of field need ( $\frac{\# \text{ players}}{\# \text{ players per team}}$ ), divided by the  $\#$  of teams per game or practice, and this number is then divided by the number of games or practices per day. Using this calculation game field need equals  $(\frac{274 \text{ players}}{10})$  divided by 2 teams per game, divided by 4 games per day or 3.4 fields. The existing supply is three fields so there is demand for one additional field, which will be met with the St. Edward ballfield renovation. The league runs from March through June with practices starting in February and some tournament play in July. Assuming scheduling of at least two weekday afternoons between 3:30pm to 7:30pm and at least two Saturdays per month (8am to 8 pm,) this equates to a total of 1,055 hours.*

*Northshore Youth Soccer Association has also experienced growth in recent years, and this group also doubles up teams on fields and uses fields outside the service area. Quality game fields are a particular need in Kenmore. There are 703 Northshore Youth Soccer Players who reside in Kenmore which equates to 70 teams. Using the same calculation for proportionate local share, the need for quality game fields calculates as  $(\frac{703 \text{ players}}{10})$  divided by 2 teams per game, divided by 6 games per day or 5.9 quality game fields. The current supply within the City is four (three at Bastyr University and one at Moorlands) based on the current practice of running three games on the two fields at Bastyr University which leaves a shortfall of two fields. The renovated ballfields at St. Edward State Park will meet this need. The association runs from August through*

*November. Assuming at least two weekday afternoons (3:30 pm to 7:30pm) and two Saturdays per month this equates to a total of 525 hours.*

*Olympic Cricket Club's season is May through October 7, and they currently use St. Edward field for game and practice play. To accommodate competing field use in May, June, August and September on Saturdays, field use would have to be divided equally between cricket/baseball/soccer. Allocating Sundays and two weekday practice times to cricket during May would preserve the 2016 level of use of 538 hours.*

*Providing open public use of the ballfields is a goal of the project, and this will likely be a condition of the lease agreement between the City of Kenmore and the State Park Commission. It is anticipated that the ballfields will be available for open public use Monday through Thursday until 3:30 pm and all day Fridays during the sport season (February to November), and every day in December and January. Sundays would also be available year-round for open use, outside of cricket season.*

### **13. Historic and Cultural Preservation [\[help\]](#)**

- a. Are there any buildings, structures, or sites, located on or near the site that are over 45 years old listed in or eligible for listing in national, state, or local preservation registers located on or near the site? If so, specifically describe. [\[help\]](#)

*There is one recorded cultural resource listed on or eligible for listing on the national, state, or local preservation registers within the proposed project area. There are also two recorded resources within the immediate vicinity of the project area. Surrounding resources include two "historic properties" (buildings or structures over 45 years of age) that have been recorded on the Washington State Department of Archaeology and Historic Preservation's (DAHP) Historic Property Inventory database; inclusion in this database is a determination by the property's age and does not necessarily reflect its significance or potential eligibility. These structures include: the St. Thomas Seminary built in 1958 (Determined Eligible) and a water tower built in 1929 (Determined Eligible).*

*One resource within the proposed project vicinity (Saint Edward Seminary) is listed on the National Register for Historic Places and State of Washington Historic Register. The National Register nomination form (NPS, 2006) describes the seminary as containing 15 main historic resource areas (see Attachment A). The Seminary was constructed in 1931. It served as a Catholic seminary for young men from 1931 to 1976. In 1977, because of declining enrollment and changes in the education of seminarians, the Catholic Archdiocese of Seattle sold 316 acres, including the Saint Edward Seminary, to the State of Washington for use as a state park. In 1978, the property was dedicated and received its current name, St. Edward State Park.*

*In 2006 a Cultural Landscape inventory was prepared for St. Edward State Park by the National Parks Service. This project identified site features which are historic and contribute to the significance of the landscape, and also identified non-contributing features. The sports field is identified as a contributing feature. Specific treatment recommendations noted in the inventory are:*

1. *Continue historic sports field for active recreation.*

**Response:** Renovation of the existing sports field continues active recreation.

2. Preserve historic slope on east side of sports field, remove volunteer plants and restore grass slope for spectator seating.

**Response:** The proposed ballfield improvements preserves the historic slope. Due to the presence of wetlands on the eastern side of the fields, the proposal does not include spectator seating on the slope. The proposal does include spectator seating near each of the two infields.

3. Maintain south end of sports field to prevent encroachment of native forest.

**Response:** The proposed improvements are within the area of the current mowed grass field. Therefore, the south end of the field is maintained and there is no encroachment on the native forest.

4. Provide more seating options under trees at west side of sports field.

**Response:** The trees on the west side of the field will be preserved. Spectator seating (covered bleachers) are proposed near each of the two infields.

5. Clear drainage swale at east and south perimeter of fields to preserve historic ditch line and increase drainage.

**Response:** Surface water drainage will be improved, over existing conditions. A subsurface stormwater system will be installed to provide drainage for the field and controlled stormwater detention will maintain the natural hydrology to the surrounding wetland. As the drainage swale located along the east and south sides of the field is located within a regulated wetland, it will not be disturbed (with the exception of the removal of invasive plant species).

6. Maintain drainage swale vegetation as mowed grass and herbaceous plants, clear of woody plants.

**Response:** The drainage swale on the west of the field will be covered with a porous concrete walkway, which will drain to the proposed stormwater detention facility. The drainage swale on the east of the field within the wetland will not be disturbed (see question 5, above). Overall, surface water drainage will be improved, over existing condition.

7. Contemporary improvements may be allowed in a historic landscape. State Parks' Cultural Resource Management Policy states that contemporary additions to cultural landscapes will not change the character of physical features within the setting of resources that contribute to their cultural or natural significance, nor introduce uses with visual, atmospheric or audible elements that diminish the integrity of significant cultural or natural features not the public's appreciation of them.

**Response:** The grass sports fields were built sometime in the 1930's and have been continuously used for active and informal recreation since. The renovated ballfields and improvements are within the current area of the mowed field and will not impact the wetland or existing trees. The proposed improvements support the continued use of the

*fields for active recreation. Refer to the comparison of synthetic vs natural turf which concludes that synthetic turf has environmental, safety and maintenance benefits over natural turf.*

*Other accessory improvements such as bleachers, dugouts, backstops and small equipment shed support the primary active recreation use. The addition of lighting, as previously discussed in other sections, may be installed as a later phase and will be designed to minimize glare and light spillage. Lighting hours will also be included in the lease agreement between the City of Kenmore and the State Parks Commission. In addition, 45 western red cedar trees are proposed along the northern side of the field to screen the ballfields and to ensure the visual integrity of the seminary building on the approach from the entrance driveway.*

- b. Are there any landmarks, features, or other evidence of Indian or historic use or occupation? This may include human burials or old cemeteries. Are there any material evidence, artifacts, or areas of cultural importance on or near the site? Please list any professional studies conducted at the site to identify such resources. [\[help\]](#)

*The project area is located near the eastern shores of Lake Washington. This area is in the traditional territory of the Lakes Duwamish and Sammamish peoples, whose descendants are members of the Snoqualmie Tribe, Tulalip Tribes, Suquamish Tribe, and Muckleshoot Indian Tribe. No Native American ethnographic place names were recorded on the project area; however, many were recorded along the shores of Lake Washington (Hilbert et al. 2001).*

*Two Native American ethnographic place names were recorded within 0.5 mile of the project area, a spot on the east shore of Lake Washington south of North Point (Li'lskut) and one named for an open space near the present town of Juanita (či?čubəd) There is one ethnographic place name located just beyond 0.5 mile, North Point (q3a 's), early maps name North Point as Arrowhead Point (Hilbert et al. 2001; Metsker Map Company, 1936).*

*No archaeological resources have been recorded on or near the proposed project area. During its cultural landscape inventory of St. Edward Seminary, the National Park Service (2006) noted that the area was likely used by Native Americans for subsistence harvesting of natural resources. Trails were likely created connecting to and along the shore of Lake Washington. However, the inventory did not find definitive signs of prehistoric habitation or land use in the seminary area. The Washington State Parks and Recreation Commission (2006) has not identified any known precontact sites within the park. There are no recorded archaeological sites within 0.5 mile of the project area. Two previous professional cultural resources studies have been conducted near the project are: a historic property survey (Knapp, 1995) and a historic structures survey (LaBree, 2013). Neither included any sub-surface archaeological testing.*

*The sports field site, a historic resource area as described in the National Register nomination form (NPS, 2006), will be affected by the proposed sports field improvement. The specific construction date of the existing ballfield is unknown, although it is presumed to have been constructed sometime in the 1930's. The National Park Service cultural inventory (2006) states that the field "retains historic integrity." The National Register nomination form (NPS, 2006) describes the field as follows:*

*"Historic photographs reveal a shifting of sports programs on the field from baseball to football to soccer. . . . The flexibility of this open space is apparent with historic and current multiple adaptations to various sports and uses. The area retains its historic land use as an organized recreational facility."*

*The DAHP Statewide Predictive Model classifies the project area as “High Risk - Survey Highly Advised” (DAHP, 2010). Review of historical maps, aerial photographs, and published Native American ethnographic studies provide further support that there is a high probability for encountering cultural resources beyond the project area (Hilbert et al., 2001; Kroll Map Company, 1912; Metsker Map Company, 1936; Pacific Aerials, 1937; USGS, 1949; USGS, 1968; US Surveyor General 1859).*

- c. Describe the methods used to assess the potential impacts to cultural and historic resources on or near the project site. Examples include consultation with tribes and the department of archeology and historic preservation, archaeological surveys, historic maps, GIS data, etc.

[\[help\]](#)

*As cited in response to questions 13a and 13b above, the following types of documents were reviewed in order to identify any potential cultural resources in the project vicinity: the DAHP for any recorded cultural resources; cemeteries, national, state, or local register-listed historic properties; previous studies on or near the project area; DAHP’s Statewide Predictive Model; historical maps of the project area dated 1859, 1912, 1936, 1937, 1949, 1968; aerial photographs of the project area taken 1937, 1952, 1964; St. Edward State Park Management Plan (WSPRC, 2008); St. Edward Park Cultural Landscape Inventory (NPS, 2006); and ethnographic studies.*

- d. Proposed measures to avoid, minimize, or compensate for loss, changes to, and disturbance to resources. Please include plans for the above and any permits that may be required. [\[help\]](#)

*The continued use of the fields for sports is consistent with the historic uses described earlier. No trees will be removed and 45 western red cedar trees are proposed along the northern side of the field to screen the ballfields and to ensure the visual integrity of the seminary building on the approach from the entrance driveway.*

*Construction would occur within the existing ballfield, an area containing fill soils. No impacts to unrecorded, subsurface cultural or archaeological resources are anticipated. As described under item B.3, the project includes measures to protect downstream water quality and would not adversely affect aquatic resources in Lake Washington that may be used by the Muckleshoot Tribe.*

*Should previously unrecorded archaeological or cultural resources be discovered during construction, all work will stop and the appropriate agencies will be contacted.*

## 14. Transportation [\[help\]](#)

- a. Identify public streets and highways serving the site or affected geographic area and describe proposed access to the existing street system. Show on site plans, if any. [\[help\]](#)

*St. Edward State Park is located approximately 2 miles south of SR-522 in Kenmore, Washington. Public street access to the park is provided by a signalized intersection at NE 145<sup>th</sup> Street and Juanita Drive NE.*

- b. Is the site or affected geographic area currently served by public transit? If so, generally describe. If not, what is the approximate distance to the nearest transit stop? [\[help\]](#)

*The park is currently served by King County METRO transit route 234, which stops on Juanita Drive NE, approximately 1/3 mile from the ballfield area.*

- c. How many additional parking spaces would the completed project or non-project proposal have? How many would the project or proposal eliminate? [\[help\]](#)

*There are 220 existing parking stalls available for visitors to St. Edward State Park, including ballfield users and spectators. The proposal to renovate the seminary building into a lodge is assumed to keep the 220 parking space supply intact. The ballfield project will increase the 220 parking space supply by 19 new parking stalls (new total of 239 parking spaces). The existing strip of gravel parking on the west side of the ball field (20 existing parking spaces) will be paved and restriped to add 7 new general purpose parking stalls and 1 handicap stall. In addition, the northernmost parking lot (55 parking spaces) will be restriped to add 11 new parking stalls.*

*The parking study (Fehr & Peers, 2016) was conducted on Saturday May 7, 2016 and Tuesday May 10, 2016. The Saturday parking space count was conducted on a warm sunny day with a bike race, wedding, and eight youth baseball games at the Bastyr University ballfields. On this day, 194 (88 percent) of the parking spaces were occupied. The Tuesday parking space count was taken on a warm and sunny day with five youth baseball practices at the Bastyr University ballfields. On this day, 50 (23 percent) of the parking spaces were occupied.*

*The peak demand for parking by users and spectators (including coaches and umpires) of the renovated ballfields was estimated to be 36 parking spaces. With the proposed additional stalls the parking demand is generally not expected to exceed capacity. However, parking demand will likely be close to capacity at peak park use times, and some circulating may be necessary for drivers. The parking analysis recommends that wayfinding signage be installed to help direct park visitors to less known parking areas (e.g. the northernmost lot), which may increase utilization of these less obvious portions of the parking lot and reduce driver circulation to find available parking.*

*See the traffic and parking analysis (Fehr & Peers, 2016) for additional information.*

- d. Will the proposal require any new or improvements to existing roads, streets, pedestrian, bicycle or state transportation facilities, not including driveways? If so, generally describe (indicate whether public or private). [\[help\]](#) \_\_\_\_\_

*The proposal will not require any new or improvements to existing transportation facilities.*

*The traffic analysis for the project (Fehr & Peers, 2016) focused on the traffic operations impact to the intersection of NE 145<sup>th</sup> Street and Juanita Drive NE. The study analyzed the following scenarios: 1. The Existing Conditions; 2. Existing Plus Project (adding the project trips from the ballfield upgrade); 3. Future No Project (Estimate for the year 2020; assumes new trips generated by the seminary renovation to a lodge, increased traffic volumes on Juanita Drive related to regional growth, and additional growth from Bastyr University); and 4. Future Plus Project scenario (Estimate for the year 2020; adds the renovated ballfield trips to the Future No Project volumes). The analysis concluded that the existing signalized intersection has the capacity for the increase in vehicle trips related to background population growth over time, development of the lodge, and renovation of the ballfields. No modification to the intersection or signal would be required; however, minor modifications to the signal timing could help decrease delays, especially for vehicle leaving the park.*

*See the traffic and parking analysis (Fehr & Peers, 2016) for additional information.*

- e. Will the project or proposal use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe. [\[help\]](#)

*The proposed project will not use, nor interfere with water, rail, or air transportation.*

- f. How many vehicular trips per day would be generated by the completed project or proposal? If known, indicate when peak volumes would occur and what percentage of the volume would be trucks (such as commercial and nonpassenger vehicles). What data or transportation models were used to make these estimates? [\[help\]](#)

*It is estimated that the ballfield renovation project would result in a maximum of 60 additional vehicular trips per day (Fehr & Peers, 2016). This trip generation estimate was based on a scenario of two games ending and two games beginning during the peak field use hour, assuming no carpooling between 2 coaches, 12 players per team, and 1 umpire. The project would not significantly increase trips by commercial and nonpassenger vehicles.*

*See the traffic and parking analysis (Fehr & Peers, 2016) for additional information.*

- g. Will the proposal interfere with, affect or be affected by the movement of agricultural and forest products on roads or streets in the area? If so, generally describe. [\[help\]](#)

*The proposed project will not interfere with, affect, or be affected by the movement of agricultural or forest products in the area.*

- h. Proposed measures to reduce or control transportation impacts, if any: [\[help\]](#)

*As stated above, parking is generally not expected to exceed capacity after the ballfields are renovated, and the existing signalized intersection has the capacity for the increase in vehicle trips. The traffic and parking analysis study (Fehr & Peers, 2016) lists the following recommendations, that would help address conditions that could occur under a worst-case scenario:*

- *Optimize signal timings at the NE 145<sup>th</sup> Street and Juanita Drive NE intersection to help decrease delay, especially for vehicles leaving the park.*
- *Add wayfinding signs in the park to direct visitors to available parking.*

## 15. Public Services [\[help\]](#)

- a. Would the project result in an increased need for public services (for example: fire protection, police protection, public transit, health care, schools, other)? If so, generally describe. [\[help\]](#)

*No special emergency services would be required above what is currently provided, as the project involves replacement/renovation of existing ball fields.*

- b. Proposed measures to reduce or control direct impacts on public services, if any. [\[help\]](#)

*Impacts to public services are not anticipated; therefore, mitigation measures have not been developed.*

## 16. Utilities [\[help\]](#)

- a. Circle utilities currently available at the site: [\[help\]](#)

electricity, natural gas, water, refuse service, telephone, sanitary sewer septic system,  
other \_\_\_\_\_

*These utilities are available at the existing restroom building located southwest of the ballfield.*

- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed. [\[help\]](#)

*The proposed field lighting will require electrical power, which will be intercepted from the existing primary power line at the closest point to the field. Underground power lines would connect the primary power line to the LED floodlight poles. The installation of new electrical power poles is not anticipated.*

**C. Signature** [\[help\]](#)

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature: \_\_\_\_\_

Deborah A Rent

Name of signee \_\_\_\_\_

DEBORAH A RENT

Position and Agency/Organization \_\_\_\_\_

COMMUNITY DEVELOPMENT DIRECTOR / CITY OF KENMORE.

Date Submitted: \_\_\_\_\_

8/5/16.

## D. References


- Bruce Dees & Associates. 2016. *St Edward Park Sports Fields Plans*.
- City of Kenmore. 2003. *Parks, Recreation, and Open Space Plan*. November 2013. Available: <http://www.kenmorewa.gov/content/parks-recreation-and-open-space-plan> Accessed April 2016.
- City of Kenmore. 2004. *Bastyr University Campus Master Plan DEIS*. Submitted October 5, 2004.
- City of Kenmore. 2014. *Zoning Map*. Available: [http://www.kenmorewa.gov/sites/default/files/zoning\\_map\\_Dec2014.pdf](http://www.kenmorewa.gov/sites/default/files/zoning_map_Dec2014.pdf). Accessed April 2016.
- City of Kenmore. 2015. *Comprehensive Plan and Environmental Impact Statement*. Adopted March 26, 2001 by Ordinance No. 01-00104, updated June 2015.
- CSESP (Citizens for Saint Edward State Park). 2006. National Register of Historic Places Registration Form – Saint Edward Seminary.
- DAHP (Department of Archaeology and Historic Preservation). 2010. Statewide Predictive Model. Last Updated 2010. Available at: <http://www.dahp.wa.gov/>, accessed April 22, 2016.
- DAHP (Department of Archaeology and Historic Preservation). 2016. WISAARD Database. Available at: <http://www.dahp.wa.gov/>, accessed April 22, 2016.
- Eastside Audubon. 2004. Puget Sound Birding Hotspots. Accessed in April 2016 from <http://eastsideaudubon.org/birding/puget-sound-hot-spots/hotspots/st-edwards-state-park/?searchterm=st%20edwards%20state%20park>
- ESA (Environmental Science Associates). 2016. *St. Edward State Park Field Improvements Critical Areas Report and Conceptual Wetland Mitigation Plan*.
- Fehr & Peers. 2016. *Saint Edward Ballfields Traffic and Parking Analysis (Updated)*. Revised May 26, 2016.
- Hilbert, Vi, Jay Miller, and Zalmai Zahir. 2001. Puget Sound Geography: Original Manuscript from T. T. Waterman. Lushootseed Press, Seattle. Available from Zahir Consulting Services, Federal Way, WA.
- Historic Aerials dot com. 1952. *T 26 North, R 4 East, Sec 23*. Aerial Photograph. Electronic document, <http://www.historicaerials.com/>, accessed April 22, 2016.
- Historic Aerials dot com. 1964. *T 26 North, R 4 East, Sec 23*. Aerial Photograph. Electronic document, <http://www.historicaerials.com/>, accessed April 22, 2016
- King County. 2015. *King County and City Landmarks List*. Technical Paper No. 6. King County Historic Preservation Program. Revised December 29, 2015.
- King County iMAP Interactive Mapping Tool. <http://gismaps.kingcounty.gov/iMap/> Accessed April 2016.
- Knapp, Michael. 1995. *Historic Resources Inventory, City of Bothell, Washington*. On file, Department of Archaeology and Historic Preservation, Olympia, WA.

- Kroll Map Company. 1912. Kroll's Atlas of King county. Electronic Document, <http://www.historicmapworks.com/Map/US/503585/Township+26+N+Range+4+E/King+County+1912/Washington/>, accessed April 22, 2015.
- LaBree, Kolby. 2013. *Historic Structures Survey Report*. On file, Department of Archaeology and Historic Preservation, Olympia, WA.
- Metsker Map Company. 1936. Metsker's Atlas of King County. Electronic document, <http://www.historicmapworks.com/Map/US/1260060/Township+26+N+++Range+4+E+++Lake+Washington++Kenmore++LK+Forrest+Park/King+County+1936/Washington/>, accessed April 22, 2015.
- NPS (National Park Service). 2006. *St. Edward Seminary Cultural Landscape Inventory Draft Parts 1 and 2*. Dated July 2006.
- NRCS (Natural Resources Conservation Service). 2016. *Web Soil Survey*. Accessed April 2016. <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>.
- NRIS (National Register Information System). 2006. St. Edward Seminary National Register of Historic Places. Electronic Document. <http://focus.nps.gov/nrhp/GetAsset?assetID=736319ac-c1ca-4087-8000-2aca5a24d517>, accessed April 22, 2015.
- Pacific Aerial Surveys, Inc. 1937. *T 26 North, R 4 East, Sec 23*. Aerial Photograph. Electronic document, <http://info.kingcounty.gov/transportation/kcdot/roads/mapandrecordscenter/mapvault/Default.aspx?DocId=QOHJGc3IPyA1>, accessed April 22, 2016.
- Perteet. 2016a. *Saint Edward Park Sports Fields: Stormwater Technical Information Report (Draft)*.
- Perteet. 2016b. City of Kenmore: St. Edward State Park Sports Fields—60% Design Plans.
- USGS (United States Geological Survey). 1949. *Seattle North, WA, 7.5' Series Quadrangle*. US Geological Survey, Reston, VA.
- USGS (United States Geological Survey). 1968. *Seattle North WA, 7.5' Series Quadrangle*. US Geological Survey, Reston, VA.
- US Surveyor General. 1859. Township 26 North, Range 4 East Survey Map. Electronic document, [http://www.blm.gov/or/landrecords/survey/yPlatView1\\_2.php?path=PWA&name=t26n040e\\_001.jpg](http://www.blm.gov/or/landrecords/survey/yPlatView1_2.php?path=PWA&name=t26n040e_001.jpg), accessed April 22, 2016.
- WDFW (Washington Department of Fish and Wildlife). 2016. Priority habitats and species online mapping. Available: <http://wdfw.wa.gov/mapping/phs/>. Accessed April 2016.
- WNHP (Washington Natural Heritage Program). 2015. Natural heritage database. Information downloaded from GIS files.
- WSPRC (Washington State Parks and Recreation Commission). 2008. *Saint Edward State Park Management Plan*. October 20, 2008.



## Figures





SOURCE: Rand McNally & Company, 2006.

St. Edwards Ballfield . 207014.182E

**Figure 1**  
Vicinity Map  
Kenmore, Washington








NO.	DATE	REVISIONS



NOT FOR CONSTRUCTION - 60% SUBMITTAL

Figure 3. Wetland Impacts.





SOURCE: King County, 2015; ESA, 2016

St. Edwards Ballfields . 150866

**Figure 4**  
Stream Mapping




**Attachment A:**  
**St. Edward Park Historic Resources**



Attachment A

Resource and Nominated Sites at Saint Edward State Park



Key:

1. Seminary Building, Historic Contributing
2. Gymnasium/Auditorium Building, Historic Contributing
3. Carol Ann Wald Memorial Pool Building, Non-Historic, Non-Contributing
4. Nuns' Garden Site, Historic Contributing
5. Sports Field Site, Historic Contributing
6. Ball Courts/Parking Area Site, Historic, Non-Contributing
7. Volleyball Court Site, Historic Contributing
8. Playground Structure, Non-Historic, Non-Contributing
9. Orchard Site, Historic Contributing
10. Grotto Area, Structure, Historic Contributing
11. Great Lawn, Site, Historic Contributing
12. Crucifix/Graveyard Area, Site, Historic Contributing
13. Garden/Parking Area, Site, Historic Non-Contributing
14. Beach Area, Site, Historic Contributing
15. Forest Trails, Site, Historic Contributing

(Land Use Map Courtesy of Saint Edward State Park Cultural Survey by NPS, 2006)

